

STOPS DIARRHEA, NOT GUT MOTILITY



How many times has the treatment for tube-fed patients' diarrhea led to a diarrhea-constipation cycle? Introducing Banatrol TF— an easy-to-administer, all-natural way to help solidify the stool without causing constipation.

- No mixing or stirring
- No risk of occlusion
- Made with banana flakes, soluble fiber, and prebiotics
- Promotes long-term gut health
- Helps meet ASPEN critical care guidelines for diarrhea intervention

 More than nutrition,
Medtrition®

Banatrol TF helps relieve the burden of cleaning diarrhea. It spares patients the emotional and physical damage caused by diarrhea and helps improve overall gut health.

ALL NATURAL, WITH HELP FROM SCIENCE

The Banatrol TF formula is a perfect balance that works with a patient's digestive system. Banatrol is used by hospitals and patients across the country and helps meet ASPEN Critical Care guidelines for diarrhea intervention.

Banana flakes and soluble fiber Banatrol TF contains both resistant starch and natural pectin. The resistant starch feeds the good bacteria in the gut. The pectin helps absorb water and improves the stool consistency. Clinical studies show that soluble fiber has a significant impact on nutrient absorption, gut motility and stool characteristics. Prebiotic fibers play an important role in the microbial balance of the GI system.*

Bimuno® prebiotic With nearly 100 published studies showing the efficacy of Bimuno, it is the most effective and most tested prebiotic on the market. Bimuno helps repopulate bifidobacterial bacteria, which is essential for gut health.

EASIER TO ADMINISTER ENFit® is a global change to make all tube-feeding devices specific to tube feeding—designed with a specific ENFit® end that can only use products designed for tube feeding access. At ENFit®-ready facilities, nurses need only attach and squeeze. For traditional tubes, unscrew the cap, pour the premeasured packet into a cup and syringe into feeding tube. Banatrol TF makes administering easy and makes your facility prepared once it transitions to the new standard.

MORE THAN NUTRITION Medtrition develops groundbreaking medical foods used in nursing homes and hospitals across the U.S. and in over 30 countries. Our science and products enable dietitians, nurses, and facilities to stay on the leading edge of healing through nutrition.

DOSAGE:

Two packets per day to align with the ASPEN critical care guidelines for diarrhea intervention.

INGREDIENTS:

water, banana flakes, fibersol-2 (soluble vegetable fiber), bimuno, prebiotic (galactooligosaccharides, lactose, glucose, galactose), apple pectin lma, gellan gum



Nutrition Facts

1 serving per container	
Serving size	1 Pouch (60mL)
Amount Per Serving	
Calories	45
% Daily Value*	
Total Fat 0g	0%
Saturated Fat 0g	0%
Trans Fat 0g	
Cholesterol 0mg	0%
Sodium 20mg	1%
Potassium 70mg	2%
Phosphorus 0mg	0%
Total Carbohydrate 9g	3%
Dietary Fiber 5g	18%
Total Sugars 3g	
Includes 0g Added Sugars	0%
Protein 2g	
Vit. D 0mcg 0%	• Calcium 0mg 0%
Iron 0.2mg 2%	• Vit. K 0mcg 0%

* The % Daily Values (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.

To learn more, contact your sales representative. Visit Medtrition.com/BanatrolTF or call 877-271-3570 for product or company details.

More than nutrition,
Medtrition®



Item No. 18801 Banatrol TF
Comes in pack of 60/2oz (60ml) pouches

McClave, S.A., Taylor, B.E., Martindale, R.G., Warren, M.M., Johnson, D.R., Braunschweig, C., McCarthy, M.S., Davanos, E., Rice, T.W., Cresci, G.A., Gervasio, J.M., Sacks, G.S., Roberts, P.R., Compher, C., and (2016), Guidelines for the Provision and Assessment of Nutrition Support Therapy in the Adult Critically Ill Patient. Journal of Parenteral and Enteral Nutrition, 40: 159-211. <https://doi.org/10.1177/0148607115621863>